

# Montasjeskruer

For treverk, spon, MDF, plastplugg, etc. Leveres i elforsinket, rustfri eller syrefast. Bits: PH2



EI.Nr	Type	Ø mm	Figur	Pakning
1300534	TP 4,2x22	4,2x22	1	250
Panhode elforsinket156				
1300535	TP 4,2x35	4,2x35	1	250
1300536	TP 4,2x45	4,2x45	1	200
Skivehode elforsinket180				
1300537	TS 4,2x14	4,2x14	2	250
1300538	TS 4,2x16	4,2x16	2	250
1300539	TS 4,2x19	4,2x19	2	250
1300540	TS 4,2x25	4,2x25	2	250
1300541	TS 4,2x32	4,2x32	2	200
1300542	TS 4,2x38	4,2x38	2	200
1300543	TS 4,2x45	4,2x45	2	100
1300544	TS 4,2x65	4,2x65	2	50
Panhode syrefast 316 A4252				
1359907	TP 4,2x19mm syrefast	4,2x19	1	250
1359908	TP 4,2x22mm syrefast	4,2x22	1	250

El.Nr	Type	Ø mm	Figur	Pakning
1359909	TP 4,2x25mm syrefast	4,2x25	1	250
1359910	TP 4,2x32mm syrefast	4,2x32	1	200
1359911	TP 4,2x38mm syrefast	4,2x38	1	200
1359912	TP 4,2x45mm syrefast	4,2x45	1	100
1359913	TP 4,2x60mm syrefast	4,2x60	1	50
Skivehode rustfri A248				
1359914	TS 4,2x13mm rustfri	4,2x13	2	250
1359915	TS 4,2x19mm rustfri	4,2x19	2	250
1359916	TS 4,2x25mm rustfri	4,2x25	2	250
1359917	TS 4,2x32mm rustfri	4,2x32	2	250
1359918	TS 4,2x45mm rustfri	4,2x45	2	200
1359919	TS 4,2x65mm rustfri	4,2x65	2	200

## Teknisk info:

---

For innendørsbruk i tre eller stålstender. Utført i herdet stål, el-forsinket. Bits: PH2